


JACK RABBIT

HIGH SPEED ELEVATORS



Move more product in less time with the industry's fastest
and most reliable side-dump conveyor system.





“BUILT FOR SPEED... BORN TO RUN”

Jackrabbit's field elevators are designed to gently convey product at high-speed resulting in more loads going to the huller.

We engineer all our elevators to highest standards ensuring the fastest and most reliable conveyors on the market.




Woodchuck De-Sticker

The Woodchuck de-sticker removes sticks at the elevator resulting in more profitable loads to the huller. The hydraulically actuated Woodchuck de-sticker can be easily raised for faster product transfer when in young orchards with minimal sticks.

Dual Belt Elevators

Dual belt system with 30" horizontal and 36" incline belts



Right Angle Elevator

Self-propelled three belt system with 90° upper conveyor



Dirt Extraction Elevator
Dual belt elevator with upper dirt extraction chain



Dirt Chain
Heavy duty twin-rod chain



Stockpiling Elevator
Self-propelled belly dump elevator for ultra-fast stockpiling



Controls
Operator platform with intuitive controls

Available Options

Power Front Wheel With Flow Deflector

Remote Control

Lights For Night Operation

Cleated Walnut Belt

Expanded Metal Upper Chute Cover

Runner Guide Bar



SPECIFICATIONS

| | 30/36 FIELD ELEVATOR | 30/36 DIRT EXTRACTION ELEVATOR | RIGHT ANGLE ELEVATOR | YARDJACK STOCKPILING ELEVATOR |
|-----------------------------|-----------------------------|---------------------------------------|-----------------------------|--------------------------------------|
| LENGTH | 49'-6" | 49'-8" | 42'-6" | 50'-4" |
| WIDTH | 7'-10" | 8'-1" | 8'-6" | 10' |
| HOPPER LENGTH | 16'-4" | 18'-3" | 16'-6" | 13'-3" |
| HOPPER WIDTH | 6'-6" | 6'-6" | 5'-8" | N/A |
| HEIGHT | 17'-7" | 18'-8" | 18'-3" | 16'-8" |
| TOW HEIGHT | 13'-2" | 13'-9" | 13'-8" | 13'-1" |
| TRAILER BRAKES | YES | YES | YES | YES |
| ENGINE DOMESTIC | CAT 2.8L 74 HP | CAT 2.8L 74 HP | CAT 2.8L 74 HP | CAT 2.8L 74 HP |
| ENGINE INTERNATIONAL | DEUTZ 3.6L 74 HP | CAT 2.8L 74 HP | CAT 2.8L 74 HP | DEUTZ 3.6L 74 HP |